

# Product Guide

## Surface Preparation Equipment and Accessories

- ▶ Concrete
- ▶ Marble
- ▶ Natural Stone
- ▶ Solid Surfaces  
*and more...*

**Aramsco**  
A SAFEGUARD INDUSTRIAL COMPANY



**800.767.2616**  
**www.aramsco.com**

## Blastrac 1-8DEC-MK1 8" 220 Volt Shot Blaster

The Blastrac 1-8DEC-MK1 is an easy-to-use, versatile shot blast system designed for the entry level contractor, or for use as a complementary unit or edging unit for the medium or large contractor. An optional caster kit makes the system highly maneuverable and helps provide for a more consistent, even profile.

The Blastrac 1-8DEC-MK1 is useful for residential garage floors, balconies, pool decks, tight areas around equipment and obstructions, and test patches. It is also used for concrete preparation prior to installation of wood flooring and is great for PVC decorative stenciling.



Cat. No.	Description
A87950	Blastrac 1-8DEC-MK1 Shot Blaster

## Blastrac 1-8DPS30 8" 110 Volt Self-Propelled Shot Blaster

New improvements make the Blastrac 1-8DPS30 easier to operate and handle. This economical, self-propelled 8" shot blasting system now features drive controls on the steering handle. An EZ-adjust system for the control cage is another new feature that is operator friendly. Laser-cut components and utilization of improved manufacturing technologies along with a powder-coat finish helps assure quality construction and long life.

A vacuum hose retainer and slide-out shot screen/tray with an integrated EZ-grip handle are further enhancements, as well as an improved yoke attachment for the front steering arm and self-propelled motor. When attached to the BDC-3140P or other performance matched Blastrac dust collector, the 1-8DPS30 operates virtually dust-free.

The 1-8DPS30's self-propelled operation improves productivity and promotes a more even and consistent blast pattern and surface profile. It consumes abrasive at less than 9 lb. per hr. and strips, cleans and profiles in one easy step to prepare concrete surfaces prior to application of coatings or overlays. Ideal for industrial floors, warehouses, commercial or residential garage floors, this shot blaster can prepare up to 450 to 600 sq. ft. per hour. The 1-8DPS30 is also perfect as a complementary unit for larger shot blasters.



Cat. No.	Description
A38308	Blastrac 1-8DPS30 Shot Blaster

## Blastrac 1-8DEZ-MK1 8" 110 Volt Shot Blaster

The Blastrac 1-8DEZ is a highly portable, lightweight shot blasting system used to prepare concrete surfaces prior to the application of paint or coatings and is perfect for smaller jobs such as residential garage floors, pool decks, and small industrial floors. Optimal blast-wheel RPM is achieved through a unique gear set in the motor. With a manual travel speed and 9 inch blast pattern, this small blast machine is also ideal for balconies, areas around equipment and obstructions, and other tight spaces.

The 1-8DEZ strips, cleans and profiles in one easy step. There is no rinsing or drying time as with chemical acid etching, and the profile provides a better surface for coating adhesion. When attached to the BDC-1216 Blastrac dust collector, the 1-8DEZ operates virtually dust-free. Cost-effective and environmentally friendly, this affordable shot blaster is a labor and time-saving cleaning system for small to medium sized jobs.



Cat. No.	Description
A84234	Blastrac 1-8DEZ-MK1 Shot Blaster

## Blastrac 1-10DPS75 10" 230 Volt Shot Blaster

The Blastrac 1-10DPS75 has an AC inverted drive-motor with integrated brake. This improved feature helps maintain speed on ramps and inclines, making it the ideal choice for restoring skid resistance and traction in parking garages or on warehouse floors. This also improves your productivity as it generates a more even and consistent blast pattern and surface profile when prepping for coatings and overlays or when removing line stripings and markings.



Cat. No.	Description
A77122	Blastrac 1-10DPS75 Shot Blaster

## Blastrac 1-10DSG 10" 230 Volt Shot Blaster

Ideal for medium and large sized jobs the 1-10DS Global is a versatile, self-propelled 10" shot blasting system. The AC inverted drive-motor for self-propelled operation features an integrated brake which helps maintain speed on ramps and inclines. This improves productivity and promotes a more even and consistent blast pattern and surface profile. Attached to the 6-54DC or other suitable Blastrac dust collector, it operates virtually dust-free.

Easily transportable, the 1-10DS Global has highly visible and manageable controls, and operates on 230 or 460V with its auto-sensing voltage control 15 hp UL listed motor. All electrical components and panels are UL certified as part of the Blastrac commitment to safety protocol.

Perfect for industrial floors, warehouses, road and airport maintenance, and parking garages, this shot blaster is an environmentally sound choice for your surface preparation arsenal.



Cat. No.	Description
A77124	Blastrac 1-10DSG Shot Blaster w/6-54DC Dust Collector

**Sales | Service | Rentals**

AramSCO Surface Prep Division  
doesn't **just** sell these great machines,  
we service and rent them too!

Call your local rep for more info!  
**800.767.2616**

## Blastrac 1-15DSG1 15" 230 Volt Self-Propelled Shot Blaster

Ideal for medium to larger sized jobs, the Blastrac 1-15DS Global is a versatile, self-propelled 15" shot blasting system. The 1-15DS Global strips, cleans and profiles concrete and asphalt in one easy step. Whether improving traction and skid resistance or prepping for coatings and overlays, this unit serves the purpose well with its friendly-to-the-environment process.



The AC inverted drive-motor for self-propelled operation features an integrated brake which helps maintain speed on ramps and inclines. This improves productivity and promotes a more even and consistent blast pattern and surface profile. Attached to the 6-54DC or other suitable Blastrac dust collector, it operates virtually dust-free containing debris and contaminants for a safer work environment and improved productivity. A slide-out screen in the shot hopper facilitates the removal of large debris.

The 1-15DSG can prepare up to 2690 sq. ft. per hour consuming abrasive at about 1.6 lb. per 100 sq. ft. or 42 lb. per hr. The quick-lift rear caster assembly makes this 1093 lb. unit easily transportable. It has highly visible and manageable controls with the drive control on the steering handle. The 1-15DSG operates on 230 or 460V and features an auto-sensing voltage control 20 hp motor. All electrical components and panels are UL certified, part of Blastrac's commitment to safety protocol.

Cat. No.	Description
A78705	Blastrac 1-15DSG1 Shot Blaster w/6-54DC Dust Collector

## Blastrac 2-20DTG1 20" 460 Volt Self-Propelled Shot Blaster

The Blastrac 2-20DT Global is a powerful self-propelled 20" shot blasting system, ideal for medium to larger sized jobs. Whether improving traction and skid resistance or prepping for coatings and overlays, the versatile 2-20DT Global strips, cleans and profiles concrete and asphalt, or horizontal steel surfaces in one easy step.



The AC inverted drive-motor for self-propelled operation features an integrated brake which helps maintain speed on ramps and inclines. This improves productivity and promotes a more even and consistent blast pattern and surface profile. Attached to the 8-54DC or other suitable Blastrac dust collector, it operates virtually dust-free. A slide-out screen in the shot hopper facilitates the removal of large debris.

The 2-20DTSG can prepare up to 4850 sq. ft. per hour consuming abrasive at about 1.6 lb. per 100 sq. ft. or 78 lb. per hr. The quick-lift rear caster assembly makes this 1268 lb. unit easily transportable. It has highly visible and manageable controls with the drive control on the steering handle. The 2-20DTG operates on 460V, three-phase, and all electrical components and panels are UL certified, part of the Blastrac commitment to safety protocol.

Cat. No.	Description
A38279	Blastrac 2-20DTG1 Shot Blaster w/8-54DC Dust Collector

## Blastrac 2-30D Super 30" Self-Propelled Shot Blaster

The Blastrac 2-30D Super is a powerhouse machine designed for the big jobs that require high productivity. The drive system with integrated brake is designed for ramps and inclines, making the 2-30D ideal for parking decks. A high-speed travel switch on the 2-30D helps ensure uniform surface preparation by allowing for quick repositioning after each pass, without resetting the travel speed.



Use this Blastrac Super system for industrial plant and warehouse floors, parking garages, ship decks, highway or bridge work, airport runways and other large jobs.

Cat. No.	Description
A38280	Blastrac 2-30D Super Shot Blaster w/8-54DC Dust Collector

## Blastrac 1-10DLP 10" Riding Shot Blaster

The Blastrac 1-10DLP rider is designed for medium to large sized jobs. Use this system for light to medium removal on jobs where a ride-on unit or propane power is desired. A blast pattern adapter is available for reducing blast pattern width for jobs such as line stripe removal.



The Blastrac 1-10DLP is a mid-range system ideal for applications such as industrialized plant and warehouse floors, parking garages, bridges, highways, airport runways and ship decks.

Cat. No.	Description
A38281	Blastrac 1-10DLP Riding Shot Blaster

## Blastrac 1-16DB 16" Riding Shot Blaster with Dust Collector

The new Blastrac 1-16DB features an enhanced trouble-free hydraulic drive system, offering better productivity when cleaning and preparing concrete or steel surfaces. The 1-16DB shot blaster strips, cleans and profiles simultaneously and is ideal for ship decks, parking garages, industrial plant and warehouse floors, bridge and highway work, and airport runways—improving macro and micro texture. The 1-16DB produces sure profiles with excellent bonding characteristics that help reduce coating failures. The available blast-pattern adapter reduces the blast width for very effective line stripe removal.



Airborne dust and contaminants, generated from the blasting process, are efficiently collected and contained through a new, quieter on-board vacuum system that offers easier debris disposal with its new "twin-bags" mounted side-by-side at the rear of the machine. Butterfly valves ensure positive closure of the debris chutes when off-loading the bags for easy disposal and the quick attachment of new bags. Another bonus of the new 6 cartridge vacuum system is a rear access panel that facilitates the changing of vacuum filters.

Cat. No.	Description
A38321	Blastrac 1-16DB Riding Shot Blaster w/Dust Collector

**Sales|Service|Rentals**



## STI 2807 PrepMaster Grinder/Polisher

- Ideal for projects less than 5,000sf
- Popular machine with residential contractors
- Lighter weight and smaller footprint gets into smaller areas
- Easier to operate than planetary gear machines
- Variable speed drive for unlimited speed variation



Cat. No.	Description
A38507	STI 2807 PrepMaster Grinder/Polisher

## STI 2420 PrepMaster Grinder/Polisher

- Ideal for projects less than 2,000sf
- Versatile machine despite its weight and size
- Easy one man loading and unloading
- Easier to operate than planetary gear machines
- Variable speed drive for unlimited speed variation



Cat. No.	Description
A42231	STI 2420 PrepMaster Grinder/Polisher

## STI 3030 PrepMaster Grinder/Polisher

- Ideal for polishing projects greater than 10,000sf
- Versatile machine despite its weight and size
- The operator doesn't fight the machine - He runs it!
- Easier to operate than planetary gear machines
- Variable speed drive for unlimited speed variation



Cat. No.	Description
A40411	STI 3030 PrepMaster Grinder/Polisher
A85487	STI 3030 PrepMaster Propane Grinder/Polisher

## STI 4430 PrepMaster Grinder/Polisher

- Ideal for polishing projects greater than 20,000sf
- Versatile machine despite its weight and size
- Easy to transport and load
- Quick disassembly for passage through 3' doorways and loading
- Easier to operate than planetary gear machines
- Variable speed drive for unlimited speed variation



Cat. No.	Description
A45968	STI 4430 PrepMaster Grinder/Polisher

## STI 2817-LP-T PrepMaster Grinder/Polisher

### Specifications:

- Motor: Kawasaki 17HP LP
- Motor RPM: 3,650 rpm
- Vacuum Hose: 3 in. port
- Dimensions: 72" L x 28" W x 53" H



Cat. No.	Description
A69067	STI 2817-LP-T PrepMaster Grinder/Polisher

## STI 2417-LP PrepMaster Grinder/Polisher

### Specifications:

- Motor: Kawasaki 17HP LP
- Motor RPM: 3,650 rpm
- Vacuum Hose: 3 in. port
- Dimensions: 74" L x 30" W x 53" H



Cat. No.	Description
A83112	STI 2417-LP PrepMaster Grinder/Polisher

## STI Eco/Prep 500 Grinder/Polisher

### Specifications:

- Motor: 5 HP, Variable Speed Drive
- Power Source: 220V / 1 Phase
- Current: 15 amps
- Motor RPM: 1,575 rpm
- Vacuum Hose: 3 in. port
- Dimensions: 41" L x 20" W x 42" H
- Cleaning Path: 25" x 25" sweep



Cat. No.	Description
A77064	STI Eco/Prep 500 Grinder/Polisher

## Production Chart

Equipment	Mastic sq. ft./hr.	Thin Set sq. ft./hr.	Mill Coatings sq. ft./hr.	Concrete Polishing Sq. ft./hr per step
EcoPrep 500	200	200	50	300
2807	350	400	200	400
2817	350	400	200	400
2417	450	500	200	1000
2420	450	500	200	1000
3030	500	500	200	1100
4430	1000	1000	500	7000

## STI FL-07 Polishing System - Full Face Pads

- Specially formulated for concrete — ground with metal bod diamonds for the absolute best finish, OR use the LUX pad as a finishing tool for that extra “POP!”
- Fantastic life of 10,000 sf
- Works on the Prep/Master®, Planetary Machines, Terrco® Machines, EDCO®, Swing Machines, and Werkmaster®.



Cat. No.	Description
A76627	#3 Grit, FL-073C
A69174	#4 Grit, FL-074C
A55581	#5 Grit, FL-075
A55624	#6 Grit, FL-076
A55582	#7 Grit, FL-077
A55583	#8 Grit FL-078
A55584	LUX Grit FL-07LUX

## EG Prep Tools for Removal

- Fast-cutting metal bond tools
- Used to remove epoxy, adhesive, & thin-set
- Great price—variety of styles and grits
- Not recommended when polishing is to be provided
- Color coded for easy identification



Cat. No.	Description
A78817	Orange, 25 Grit, Medium Bond Quick Change
A81598	Black, 25 Grit, Hard Bond Quick Change
A77107	Grey, 20 Grit, Hardset Bond Quick Change
A83799	Grey, 20 Grit, Hardset Bond Bolt On

## STI Terrazzo Pads

- For wet polishing epoxy- and portland-based terrazzo and stone
- Used as first-cut tool on new, unsealed concrete
- Specialized matrix for aggressive cut with fine scratch pattern
- Useful in closing step & restoration first step
- 3” diameter: 8 mm
- No center hole eliminates collection of debris and spent diamonds



Cat. No.	Description
A39165	50 Grit, 8 mm, 3”Wet Pad for Terrazzo
A39164	100 Grit, 8 mm, 3”Wet Pad for Terrazzo

## STI 10S Diamond Segments


- Use for opening steps on uncoated concrete
- Excellent scratch pattern for old or new concrete
- Use wet or dry
- Attaches in 3 different configurations for multiple machines
- 6mm thickness
- Available with pin



Cat. No.	Description
A35709	16 Grit Bolt On
A35711	30 Grit Bolt On
A38672	70 Grit Bolt On

## Double PCD EG Prep Tool

- Aggressive removal tool for removal of coatings, mastics or rough concrete



Cat. No.	Description
A77070	Right-hand PCD Tool Quick Change
A77069	Left-hand PCD Tool Quick Change
A73655	Right-hand PCD Tool Bolt On
A73654	Left-hand PCD Tool Bolt On

## STI E/Z REDZ Pads

- For wet polishing epoxy- and portland-based terrazzo and stone
- Used for closing/polishing steps
- 3” diameter: 8 mm thickness
- No center hole eliminates collection of debris and spent diamonds



Cat. No.	Description
A58790	100 Grit, 3REDZ100
A53229	200 Grit, 3REDZ200
A53240	400 Grit, 3REDZ400
A53246	800 Grit, 3REDZ800
A55703	1500 Grit, 3RED1500

### Don't see it here?

*AramSCO branches are nationwide, stocking:*

- ▶ Full-Face Respirators
- ▶ Safety Glasses/Goggles
- ▶ Gloves
- ▶ Hard Hats/Face Shields
- ▶ Boots

*Call us for more!*

## SPIN-1 — For Concrete

### SPIN-1 Diamond Polishing System

The new SPIN-1 Pad System polishes concrete faster and better than any other diamond buffing pad on the market and does the work in a fraction of the time when compared to large polishing machines.

- Great for maintaining polished concrete!
- Pad life is in excess of 20,000 SF
- Available in 21", 24" & 27" sizes to fit most propane burnishers

**Description**

STI SPIN-1 Diamond Polishing System

**Specs:**

Call!



### c<sup>2</sup>ash Diamond Polishing System Casinos/Convention Centers/Airports/Schools/Hotels

The Cash Diamond Polishing pads are excellent for casinos, convention centers, airports, schools, hotels and anywhere else quick and effective polishing of terrazzo and marble is required.

- Excellent for Terrazzo and marble surfaces
- Be Green — No chemical of any kind is required, only water
- Available in 7", 12", 13", 14", 17", 20", 21", & 27" sizes to fit most electric buffers

**Description**

STI CASH Diamond Polishing System

**Specs:**

Call!



## Mastercraft MTHC Series 3-Head Floor Machines

The multi-purpose machine is designed for surfacing concrete floors, restoring or preparing wood decks and hardwood floors. Unique belt drive, three-head system is designed for smooth operation with superior results. Counter-rotating head makes this machine easy to operate and control with no sliding. The 1760 RPM models are recommended for concrete or wood and the 3450 RPM for polishing concrete. Equipped with 6" transport wheels, vacuum port for use with the 1012DOF dry vacuum and bottom dust skirt that contains dust during operation.



Cat. No.	Description
57705	Mastercraft 457795 MTHC-16 HR 15 Amp, 3450 RPM Dry Floor Machine
57777	Mastercraft 464317 MTHC-16 LR 12.5 Amp, 1760 RPM Dry Floor Machine
57780	Mastercraft 498408 5HP 3-Head Floor Grinder

## Mastercraft MCL-17E DLX QuarryMaster Floor Machine

The QuarryMaster™ is designed for the restoration and maintenance of marble, tile, terrazzo, stone and concrete. This versatile floor machine can also be used for standard floor scrubbing, stripping and polishing applications.



Cat. No.	Description
58255	Mastercraft MCL-17E DLX Floor Machine

## STI 17" Floor Machine Splash Guard

- 18" Round splash guard fits around Diamond Disc Driver
- Protects adjacent surfaces from slurry splatter
- Floats with uneven surfaces
- Flexible polyethylene construction
- Low weight
- Easy attachment



Cat. No.	Description
A45611	STI 17" Floor Machine Splash Guard

## Prep/Master EZ Vac III

- Use wet or dry
- 110V/12-gallon tank
- 38"H x 25"W x 29"L
- Hepa filter included
- 3 ft. flexible drain hose for easy emptying
- 24" front-mount squeegee
- Dumping mechanism-no more clogged waste hose



Cat. No.	Description
A88077	Prep/Master EZ Vac III

## Prep/Master 21" Burnisher

### Superior Dust Control

Prep/Master's four stage dust containment system utilizes a vacuum motor and patented dust control system and skirting. Captures up to 80% of dust particles. Reduces the frequency of dust mopping.

- Meets LEED standards and is the "Green" option for burnishers
- Optional emissions eliminator system which provide ultra low emissions
- EPA, CARB, and CE Certified
- Water tank



Cat. No.	Description
A88076	Prep/Master 21" Burnisher

**Sales | Service | Rentals**

AramSCO Surface Prep Division doesn't **just** sell these great machines, we service and rent them too!

Call your local rep for more info!

**800.767.2616**

## Diamatic BMG-435WD-R Grinder/Polisher

The new BMG-435WD-R is an ideal machine for preparing surfaces prior to new coatings. Perfect for removing old coatings or adhesive residues, to smooth or flatten concrete slabs including curled expansion joints, or to just simply remove unsightly surface imperfections. For decorative concrete applications, it is an ideal system for polishing concrete to a high shine or restoring old slabs for newer architectural finishes. The floating shroud with its brush skirt is an added feature for those critical polishing processes.



Cat. No.	Description
A85256	Diamatic BMG-435WD-R 220V Grinder/Polisher

## Diamatic BMG-535-PRO Grinder/Polisher

The new BMG-535PRO-R is an ideal machine for preparing surfaces prior to new coatings. Perfect for removing old coatings or adhesive residues, to smooth or flatten concrete slabs including curled expansion joints, or to just simply remove unsightly surface imperfections. For decorative concrete applications, it is an ideal system for polishing concrete to a high shine or restoring old slabs for newer architectural finishes. The floating shroud with brush skirt is an added feature for those types of processes.



Cat. No.	Description
A67861	Diamatic BMG535-PRO 230V Grinder/Polisher
A80766	Diamatic BMG535-PRO 460V Grinder/Polisher

## Diamatic BMG-580-PRO Grinder


The new BMG-580PRO-R is an ideal machine for preparing surfaces prior to new coatings. Perfect for removing old coatings or adhesive residues, to smooth or flatten concrete slabs including curled expansion joints, or to just simply remove unsightly surface imperfections. For decorative concrete applications, it is an ideal system for polishing concrete to a high shine or restoring old slabs for newer architectural finishes. The floating shroud with brush skirt is an added feature for those types of processes.



Cat. No.	Description
A78081	Diamatic BMG580PRO 230V Grinder
A80767	Diamatic BMG580PRO 460V Grinder

## Diamatic BMG-735-PRO Grinder

The new BMG-735PRO-R is an ideal machine for preparing surfaces prior to new coatings, like to remove old coatings or adhesive residues, to smooth or flatten concrete slabs including curled expansion joints, or to just simply remove unsightly surface imperfections. For decorative concrete applications, it is an ideal system for polishing concrete to a high shine or restoring old slabs for newer architectural finishes. The floating shroud with brush skirt is an added feature for those types of processes.



Cat. No.	Description
A77944	Diamatic BMG735PRO 230V Grinder
A80768	Diamatic BMG735PRO 460V Grinder

## Diamatic BMG-780 PRO Grinder/Polisher

- Planetary Grinder/Polisher using 3 discs 240 mm
- Working areas: Surface preparation before coating, removal of coatings, grinding and polishing on concrete and natural stone, cleaning and removal of paint and glues
- Can be used on all floors: concrete, granite, marble and stone, even in places with high hygiene and safety standards (food, medical, pharmaceutical industries)
- Can be used for either wet or dry applications
- Separate drive system for central and planetary distribution
- Low vibrations, comfortable to use for the operator



Cat. No.	Description
A80281	Diamatic BMG-780 PRO 230V Grinder/Polisher
A75509	Diamatic BMG-780 PRO 460V Grinder/Polisher

## Diamatic MPS-1727 Micro Burnisher

The Diamatic™ MPS-1727 propane micro polisher is a versatile surface preparation tool for concrete and terrazzo stone surfaces. It is the ideal tool for micro polishing large areas to a high luster shine, especially when utilizing the Diamatic Ultra-Flor™ Process. It is the best choice for enhancing and finishing new floors or restoring and rejuvenating old slabs to achieve architectural grade finishes.

The MPS-1727 has a durable cast aluminum alloy housing with a powder-coat finish to resist oxidation. Powered by a dependable, electric-start 17 hp twin-V Kawasaki engine, it delivers excellent performance and produces 1200 rpm for the 27 inch balanced, pad driver (1500 rpm on the MPS-1721). The 20 lb. propane cylinder offers plenty of run time and ease of refill/replacement and is EPA and UL approved.

Operator is easily informed of engine performance, emissions, and maintenance intervals with the onboard hour meter and control-panel lights. The keyed ignition switch secures authorized use.



Cat. No.	Description
A78005	Diamatic 21" 17 HP Propane Micro Burnisher
A70841	Diamatic 27" 17 HP Propane Micro Burnisher

## Metal Bond Single Segment



Cat. No.	Description
A82858	DIA707320, 18/20 Grit, Diamond Wing, Medium
A64720	DIA707340, 30/40 Grit, Diamond Wing, Medium
A84104	DIA707380, 60/80 Grit, Diamond Wing, Medium
A88050	DIA7073140, 120/140 Grit, Diamond Wing, Medium

## Metal Bond Trojan 2

- No square leading edge
- Less uneven scratching on rough surfaces



Cat. No.	Description
A78873	DIA2709340, 30/40 Grit, Trojan 2 Diamond Wing, Medium
A78874	DIA2709380, 60/80 Grit, Trojan 2 Diamond Wing, Medium
A84096	DIA27093140, 120/140 Grit, Trojan 2 Diamond Wing, Medium

## 3" Transformer Hybrid Transitional Resin



Cat. No.	Description
A88043	DIA3HYTRAN100 Transformer Hybrid Transitional Resin - 100 Grit
A88044	DIA3HYTRAN200 Transformer Hybrid Transitional Resin - 200 Grit
A88045	DIA3HYTRAN400 Transformer Hybrid Transitional Resin - 400 Grit
A88046	DIA3HYTRAN800 Transformer Hybrid Transitional Resin - 800 Grit
A88047	DIA3HYTRAN1500 Transformer Hybrid Transitional Resin - 1500 Grit
A88048	DIA3HYTRAN3000 Transformer Hybrid Transitional Resin - 3000 Grit

For a full list of all the products Aramsco offers, call your local Aramsco rep, or consult our website: [www.aramsco.com](http://www.aramsco.com)

## Metal Bond Double Segment Economy



Cat. No.	Description
A88062	BG707331 20/25 Double Segment Economy Diamond Wing, Med.
A88063	BG707332 30/40 Double Segment Economy Diamond Wing, Med.
A88064	BG707333 60/80 Double Segment Economy Diamond Wing, Med.
A88066	BG707334 120/140 Double Segment Economy Diamond Wing, Med.

## Transitionals



Cat. No.	Description
A78978	PA-103050, #0 Grit, 3" Transitional Diamond
A76281	PA-103100, #1 Grit, 3" Transitional Diamond
A88068	PA-103400, #4 Grit, 3" Transitional Diamond

## Flor-Grit Diamond Pads

Diamond impregnated pad for Maintainer and Flor-Finish application.



Cat. No.	Description
A72322	PA-10987 21" Flor Grit Pad - 800 Grit
A72323	PA-10988 21" Flor Grit Pad - 1500 Grit
A72324	PA-10989 21" Flor Grit Pad - 3000 Grit
A70954	PA-10993 27" Flor Grit Pad - 800 Grit
A70955	PA-10994 27" Flor Grit Pad - 1500 Grit
A70956	PA-10995 27" Flor Grit Pad - 3000 Grit

## US Saws Dust Buggy Portable Joint Cleanout Saw with Metabo W24-230 Grinder or DeWalt Grinder

The Dust Buggy is a cost effective system for your joint cleanout applications. It can be used with a 7" or 8" blade to reach a maximum cutting depth of approximately 2 inches. Connect the Dust Buggy to a dust collector to maintain a clean jobsite.



### Specifications:

- Power Requirements: 120V, 60Hz
- Max RPM: 6,600 rpm
- Max Cutting Depth: 2"

Cat. No.	Description
<b>A73234</b>	US Saws Dust Buggy Portable Cleanout Saw w/Metabo Grinder
<b>A62581</b>	US Saws Dust Buggy Portable Cleanout Saw w/DeWalt Grinder

## US Saws Premium Tuc-Pointer Assembly

- Small and lightweight system for horizontal or vertical surface crack repair applications and cutting out mortar or grout joints.
- Controls dust for cleaner work site when used with optional vacuum system.
- 1-1/4" maximum cutting depth
- Assembly includes grinder, shroud, adapter ring, and 8' hose.



Cat. No.	Description
<b>A37827</b>	US Saws Premium Tuc-Pointer Assembly

## Sawtec 05-70012 Crac-Vac

The Crac-Vac routs out random cracks to a depth of 11/8 inches. Its patented vacuum housing with internal impeller fan collects and routes the dust to a reusable collection bag. No separate dust collector is required.



Shown: Crac-Vac with optional bag wagon

- Virtually dust-free tool for routing random cracks, cleaning expansion joints and more
- Maximum depth cut 11/8"
- Heavy-duty grinder provides superior performance
- May be adapted to dolly for joint cleanout, straight-line cutting and patch work
- Popular tool for cutting artificial grout lines and score cuts in stained or overlay-finished decorative concrete

Cat. No.	Description
<b>A37841</b>	Sawtec 05-70012 Crac-Vac

## US Saws SX65005C 5" Grinder-Vac Assembly w/8 Amp Metabo Grinder and Convertible Dust Shroud

The 5" Grinder-Vac is ideally suited for tight area grinding where larger machines just cannot be used. With the ability to use our premium diamond cup wheels, as well as a variety of Zec abrasive discs, this tool will allow you to tackle numerous applications dust free.



This convertible version allows for open area grinding along with grinding up against a wall by simply flipping up the hood.

The 8 amp Metabo grinder is economical option for less rigorous use.

### Specifications:

- Production Capacity: 75 - 150 sf/hr
- RPM: 10,000 rpm
- Wheel Diameter: 4.5"
- Dimensions: 15.5" L x 11.5" W x 6" H

Cat. No.	Description
<b>A76573</b>	US Saws SX65005C Grinder-Vac Assembly w/Grinder & Shroud
<b>A80784</b>	5" Polish Grinder 700 - 2200 RPM

## US Saws SX60006C 7" Professional Grinder-Vac Assembly w/15 Amp Metabo Grinder and Convertible Dust Shroud and Accessories

Use our concrete grinders for dust control to reduce cleanup time, provide better visibility and increase productivity. Our Grinder-Vac line of equipment includes dependable 5", 6", 7", and 9" models for concrete cleaning, planing, coatings removal or other floor finishing preparation work.



The rugged polyurethane dust shroud is a key feature of the Grinder-Vac system. It enables the grinder to be connected to one of the various dust collection systems offered for a more productive, comfortable work environment with less cleanup required.

Cat. No.	Description
<b>A38058</b>	US Saws SX60006C 6600 RPM Grinder-Vac Kit
<b>A35343</b>	US Saws SX60010C 8500RPM Grinder-Vac Kit

## Blastrac BL-05-67000C 7" Hand Grinder with Convertible Shroud

The BL-05-67000C is a quality hand-held grinder designed specifically for concrete prep and coatings removal. The heavy-duty design of the BL-05-67000C provides solid performance when grinding for concrete preparation along walls, around protrusions, and those hard-to-access areas, and offers dependability for removing epoxies and mastics when utilizing appropriate grinding disks and wheels.



Cat. No.	Description
<b>A68986</b>	Blastrac BL-05-67000C Hand Grinder w/Convertible Shroud

## 7" 12 Seg Diamond Cup Wheels



Item	Description
A35129	7" 12 segment economy cup wheel
A35385	7" 12 segment premium cup wheel
A71290	7" 12 segment premium cup wheel w/ 5/8" thread

## Zec™ Wheels



Item	Description
A35337	4-1/2" #16 grit Zec Litex wheel
A35335	7" #16 grit Zec Litex wheel

## 7" 24 Segment Diamond Cup Wheels



Item	Description
A35131	7" 24 segment economy cup wheel
A35386	7" 24 segment premium cup wheel
A70781	7" 24 segment premium cup wheel w/ 5/8" thread
A77926	7" 24 segment premium cup wheel w/ 3/4" thread

## 10" Diamond Plates



Item	Description
A59108	10" Diamond Plate, 10 segment Arrow style
A37368	10" Diamond Plate, 20 segment plate
A77080	10" Diamond Plate, 20 segment Hard bond

## 7" Specialty Cup Wheels



Item	Description
A35389	7" Bi-Turbo supreme cup wheel
A35388	7" T segment cup wheel
A71879	7" 8 segment PCD wheel

## Fast-Change Grinding System



Item	Description
A74123	6 1/2" Fast Change Plates, Mastercraft 16" machine
A80232	8" Fast Change Plates, Mastercraft 20" machine
A79045	10" Fast Change Plate, 10" High Speed Grinders
A74615	Single Seg #30 Red Premium Diamond Wing
A76165	Double Seg #30 Red Premium Diamond Wing

## 7" Tornado Cup Wheels



Item	Description
A75939	7" Tornado cup wheel, 3 segment - 18 Grit
A75938	7" Tornado cup wheel, 6 segment - 18 Grit
A74315	7" Tornado cup wheel, 9 segment - 18 Grit
A74290	7" Arrow segment cup wheel

## 5" & 7" Premium Dry Cut Diamond Blades



## 4.5" & 5" Diamond Cup Wheels



Item	Description
A35382	4-1/2" 9 segment premium cup wheel
A35383	4-1/2" 18 segment premium cup wheel
A65788	5" T segment cup wheel, 10 Segment
A69269	5" Bi-Turbo Supreme cup wheel, w/ 5/8" thread

Item	Description
A35391	5x090x7/8-5/8 Premium Segmented Blade
A35392	5x250x7/8-5/8 Premium Segmented Blade
A38087	5x375x7/8-5/8 Premium Segmented Blade
A35394	7x090x7/8-5/8 Premium Segmented Blade
A35393	7x250x7/8-5/8 Premium Segmented Blade
A37891	7x375x7/8-5/8 Premium Segmented Blade, V seg

## Ruwac WNS 2220 "Little Red" Intermittent Duty Vacuum

### Specifications:

- Single phase, Intermittent duty
- 200 CFM
- 97 H2O" / 7.1 Hg"
- 13 sq. ft. MicroClean filter
- Option - HEPA
- 78 DBA
- 110v motor
- 9 gallon dustpan capacity
- 2" inlet
- Weight: 90 lbs.



Cat. No.	Description
54370	Ruwac 33125 WNS 2220 "Little Red" Vacuum

## Ruwac WS 2320 "Red Raider" Intermittent Duty Vacuum

### Specifications: 110V / 220V

- 110 volt / **220 volt**
- 288 CFM / **340 CFM**
- 75 H2O" / 5.5" Hg" / **100 H2O" / 7.2 Hg"**
- 28 sq. ft. MicroClean filter (both models)
- 9 gallon dust pan (both models)
- 2.75" inlet (both models)
- 169 lbs. (both models)



Cat. No.	Description
54372	Ruwac 33230 WS 2320 "Red Raider" 110v Vacuum
54472	Ruwac 33230220 WS 2320 "Red Raider" 220v Vacuum

## Ruwac Dynamic Duo Vac System with Cart and 230v 3-Phase Distribution Box

### Specifications:

- 680 CFM
- 100 H2O" / 7.2 Hg"
- 75 DBA
- 56 sq. ft. MicroClean filter
- 230v motor (3 phase 90 amp)
- 18 gallon dustpan capacity
- 3" inlet
- 340 lbs.



Cat. No.	Description
A78438	Ruwac 3323022-Duo Dynamic Duo Vac System
A77986	Ruwac 3323022-Duo Dynamic Duo Vac System w/HEPA Filtration

## Ruwac WS 2220 "Quiet Red" Intermittent Duty Vacuum

### Specifications:

- 200 CFM
- 97 H2O" / 7.1" Hg
- 68 DBA
- 13 sq. ft. MicroClean filter
- 110v motor
- 9 gallon dustpan capacity
- 2" inlet
- Weight: 115 lbs.



Cat. No.	Description
54373	Ruwac 33135 WS 2220 "Quiet Red" Vacuum

## Ruwac WS 2320 "Red Raider" Intermittent Duty Vacuum with 40 Amp Distribution Box

### Specifications:

- 220 volt
- 340 CFM
- 100 H2O"
- 28 sq. ft. MicroClean filter
- 9 gallon dust pan
- 2.75" inlet
- 32" x 20" x 51"



Cat. No.	Description
A55829	Ruwac 3323022D "Red Raider" Vac with Distribution Box

## Ruwac 10HP Powerhouse Vacuum with Distribution Box

### Specifications:

- 506 CFM
- 77 DBA
- 48 sq. ft. MicroClean filter
- 230v motor (460v distribution box)
- 24 gallon dustpan capacity
- 4" inlet
- 450 lbs.



Cat. No.	Description
A55335	Ruwac DS2720 10HP 230V Powerhouse Vac w/Distribution Box
A55337	Ruwac DS2720 10HP 460V Powerhouse Vac w/Distribution Box

## Ruwac WSP 2000 Wet/Dry Vacuum

### Specifications:

- Liquid return of 38 gal / min
- 112 CFM
- 78 DBA
- 107 H2O" / 7.9 Hg"
- 110v motor
- 15 gallon capacity
- 2" inlet
- 90 lbs.



Cat. No.	Description
A68993	Ruwac WSP 2000 Wet/Dry Vac

## Ruwac HEC-XLT with Lifting Assembly

### Features:

- High-efficiency cyclone pre-separator increased collection capacity and filter life
- Lifting assembly mechanically raises cyclone from drum and holds it while emptying
- Drum tips, eliminating any heavy lifting
- 30 gallon capacity
- 6mm plastic bags contain dust when using the Equalizer Kit
- Grounded connection hose can be attached to any Ruwac vacuum



Cat. No.	Description
A88041	Ruwac HEC-XLT with Lifting Assembly

## Ruwac Pre-Separation System High Efficiency Cyclone

### Features:

- High-efficiency cyclone pre-separator increased collection capacity and filter life
- Lifting assembly mechanically raises cyclone from drum and holds it while emptying
- Drum tips, eliminating any heavy lifting
- 30 gallon capacity
- 6mm plastic bags contain dust when using the Equalizer Kit
- Grounded connection hose can be attached to any Ruwac vacuum



Cat. No.	Description
54387	Ruwac 8" HEC Pre-Separator with Bag Equalizer
54388	Ruwac 12" HEC Pre-Separator with Bag Equalizer
54392	Ruwac 12" HEC Pre-Separator with Bag Equalizer and 30 Gallon Tipping Mechanism
A56383	Ruwac 14" HEC Pre-Separator with Bag Equalizer and 55 Gallon Tipping Mechanism

## Ruwac PV10 Propane Vacuum

### Specifications:

- 17 HP engine
- 28 sq. ft MicroClean filter
- 300 CFM
- 95 H2O" / 7 Hg"
- 285 lbs.



Cat. No.	Description
A88040	Ruwac PV10 Propane Vac

## Ruwac Pre-Separation System High Efficiency Cyclone with Bagging System

### HEC Features:

- High-efficiency cyclone pre-separator increased collection capacity and filter life
- Lifting assembly mechanically raises cyclone from drum and holds it while emptying
- Drum tips, eliminating any heavy lifting
- 30 gallon capacity
- 6mm plastic bags contain dust when using the Equalizer Kit
- Grounded connection hose can be attached to any Ruwac vacuum



### Continuous Feed Bagging System Features:

- Allows for continuous feed, eliminating any and all exposure during the emptying process.
- Dust Free Emptying
- Continuous specialized pleated bagging system
- Bag holder assembly with quick disconnect to containment hopper

### Specifications:

- HEC12 – with continuous discharge
- 12" cyclone
- 10 gallon storage hopper
- Gravity drop system for automatic discharge
- Bagging system for standard plastic bags
- Optional continuous feed bagging system.
- 2.75" inlet
- 80 lbs.



Cat. No.	Description
A88042	Ruwac 12" HEC Pre-Separator with Bagging System
A88085	Optional Continuous Feed Bagging System for A88042



## National 500 Panther Floor Scraper

Patented ram shear action of this head separates it from the others. The 500 functions without belts and pulleys and the almost silent eccentric drive system allow you to work occupied spaces without disruption.

- Patented ram shear cutting action works on any floor surface without gouging subfloor
- Does not produce right or left pull caused by oscillating machines
- 1 HP industrial motor
- 1725 RPM
- Not recommended for ceramic



Cat. No.	Description
A46033	National 500 Panther Floor Scraper

## National 505 Panther Plus Floor Scraper

Ideal for general maintenance, the 505 operates on any surface. Weighing less than 100 lbs., the 505 is easy to maneuver, operate and load/unload. The 505 removes glues, gum, adhesives and dozens of other materials

- Unique head angle won't gouge subfloor
- Machine runs whisper quiet
- Won't cause operator fatigue from fighting centrifugal pull like other oscillating machines
- Powerful, industrial, continuous 1 HP, 1725 RPM motor (runs under 10 amps)
- Includes #147 4" x 6" blade & #130-S 3" x 10" Blade



Cat. No.	Description
A71713	National 505 Panther Plus Floor Scraper

## National 550 Panther Adjustable Handle Scraper

Perfect for residential and light commercial use, the 550 is the only stripper in the manual operated class with the ability to remove ceramic tile. When combined with National's patented carbide tipped ceramic blade, the 550 has removal capability of some of it's larger more expensive competitors.



Cat. No.	Description
A70616	National 550 Panther Adjustable Handle Scraper

## National 5280 Self-Propelled Floor Scraper

The lightest of the self propelled group, the 5280 makes up in aggressiveness what it lacks in size. Not to be out done by its larger siblings, the 5280's oscillation head cuts through the most stubborn commercial material.

This Self-Propelled Scraper will remove the worst of today's glued down floors, gummy commercial carpet, VCT, solid vinyl, radial rubber tile, sheet rubber, indoor and outdoor sport surfaces, roofing material, etc. Our exclusive random orbital action machine will clean residues from floors that other machines leave behind.

Has many of the same features as the 6280 Industrial Panther® Self-Propelled Scraper, but the 5280 is more compact and lighter weight creating greater maneuverability.



Cat. No.	Description
A38277	National 5280 Self-Propelled Floor Scraper

## National 6280 Industrial Self-Propelled Floor Scraper

Designed for fast pace removal, the 6280 is the industry leader for carpet and VCT removal. Both durable and maneuverable, the 6280 outpaces any scraper in its class. Self-propelled in both forward and reverse, the 6280 provides all the necessary muscle for tough removals.

- Runs on 13 amps, won't trip circuit breakers
- Three quickly removable counterweights
- Runs quietly, can be operated on any jobsite
- Durable 1/4" thick plate stock outer housing
- Electric overload protection
- Easy to operate hand controls for speed and safety



Cat. No.	Description
A57719	National 6280 Industrial Self-Propelled Floor Scraper
A38023	National 6280-500 Swivel Head Attachment for Razor Blades
A83028	National 6280-505 Swivel Head Attachment for Standard Blades

## National 6280-HD Heavy Duty Hydraulic Self-Propelled Floor Scraper

With its patented swivel head attachment, the 6280HD Stripper has earned the title "most aggressive walk behind floor scraper in the industry". The 6280HD efficiently removes carpets, glues, mastic, VCT, hardwoods in addition to most ceramics. Designed for maximum torque to remove hard goods, the 6280-HD plows through most materials!

- Variable speed, 30 feet per minute
- Cutting heads and carbide shanks swivel in the angle attachment to keep the blade in contact with the floor
- Angle attachments angle the cutting head or carbide shank to where the material comes up the easiest



Cat. No.	Description
A35295	National 6280HD Heavy Duty Hydraulic Self-Propelled Floor Scraper

## National 2900 High Speed Ride-On Floor Scraper

Unlike anything on the market, the 2900 High Speed Ride On Machine was designed for the customer that requires speed. With characteristics similar to the 5700 ADB, the 2900 is perfect for the time sensitive staging projects such as Wal Mart, Target, grocery store or any retail store application where speed is imperative. High speed capabilities for removing VCT, carpet, glues and mastic while operating from an internal battery system. The 2900 provides an emissions free, clean energy alternative while simultaneously out performing it's competitors. To recharge, simply plug into a standard 115 volt outlet.



Cat. No.	Description
A75972	National 2900HS High Speed Ride-On Floor Scraper

## National 5200-QL Cordless Ride-On Floor Scraper

Need to work 24/7? No problem with the 5200QL! The quick release battery system allows the machine to operate continuously without ever having to stop. Utilizing the supplied two sets of interchangeable batteries, the 5200 QL never takes a break or goes home for the day, that is until you do!



This Cordless Ride On floor removal machine is the only replaceable battery machine on the market. When a battery runs down, it can be quickly replaced. The machine will keep running while a second battery pack is charging. A great deal of floor removal and surface preparation jobsites are located indoors or in areas with limited or restricted ventilation, our battery machines eliminate toxic and harmful fumes allowing these machines to be used on almost any job site. Power packs easily slide out the back of the machine onto a cart for easy and convenient battery changing and transportation - requires no heavy lifting. Extended run battery system allows longer run time and higher cycle life .

Cat. No.	Description
A38285	National 5200QL Cordless Floor Scraper
A37022	National 5204 Extended Life Battery Set
A55874	National 5212 48V Charger

## National 5600 Propane-Powered Ride-On Floor Scraper

The 5600 boasts a 20 hp water cooled Kawasaki engine with the lowest emissions output in the industry. Its unique design allows the 5600 to plow through material without hesitation. Utilizing its high torque engineering, the 5600 produces removal rates beyond the competition.



Cat. No.	Description
A56385	National 5600 Propane-Powered Ride-On Floor Scraper

## National 5700 All Day Battery Ride-On Floor Scraper

One charge provides up to 10 hours of real time work hours; Nothing on the market compares! At the end of the day simply plug into a standard 115 volt outlet and in the morning the 5700 is recharged and ready for another hard day of work. The 5700 is simply the industry's best scraper.



Considering the extensive hours operators occupy the driver seat, National's Ride-On machines are engineered with comfort and longevity in mind! Appropriately named the All Day Battery Ride-On removal and floor preparation machine- this machine has the ability to operate through an average day without requiring a battery recharge, or electrical cord assistance.

Cat. No.	Description
A56384	National 5700 All Day Battery Ride-On Floor Scraper

## National 5700-HS ADB | High-Speed Ride-On Floor Scraper

High Speed All Day Battery Ride-On Machines; One charge provides up to 10 hours of real time work hours!



- On board, built-in charging system has the versatility to plug into any outlet
- Does not produce harmful fumes, allowing machine to be used on almost any jobsite
- Has the ability to operate 8 to 10 hours on a single charge regardless of the floor application - no need for multiple battery sets
- Zero turn radius
- Non-marking tires

Cat. No.	Description
A85278	National 5700-HS ADB High-Speed Ride-On Floor Scraper

## National 6600 Dual-Fuel Ride-On Floor Scraper

Runs on gas or electric . The only dual fuel machine in the industry. The operator has the option of powering the machine either with 230 volt single phase or with propane - it's literally as easy as turning a switch! No more propane restriction with the 6600, if propane isn't allowed on site, switch to 230 power. Not enough cord to reach your trailer, no problem, switch to propane. It's two quality National scrapers wrapped in one machine!



- 230 volt single phase electric power or 20 hp propane power
- 20HP water-cooled, Kawasaki Industrial engine (electric start) - quiet and dependable
- Unique quick change swivel head with exclusive adjustable slide plate for maximum blade settings on all floor surfaces and material types
- Lowest emissions in the industry, well below industry standards!
- Exclusive catalytic design along with Kawasaki powered, water-cooled design provides quiet, even, trouble-free power

Cat. No.	Description
A71645	National 6600 Dual-Fuel Ride-On Floor Scraper

# Scraping/Wet Abrasive Blasting

## Blastrac BMS-L1950 Ride-On Floor Scraper

The BMS-L1950 is an economical, entry-level floor scraping machine. Designed for large area surface removal, this extremely mobile, highly productive, ride-on floor scraper will make short work of tough floor removal jobs. Remove a wide variety of thick coatings, floor coverings, and waterproofing membranes with the BMS-L1950, including carpet, VCT, tough ceramic tile and hardwood.

A compact design with large diameter wheels offers greater efficiency with increased travel speed, and precision hydraulic steering gives the operator optimum control and maneuverability. A patented "floating" blade design with heavy-duty pivot points, on the 3-action blade clamp, insures the best performance from multiple blade types.

The 25 hp Kohler engine delivers the power that's demanded for those stubborn and time consuming floor removal jobs. The BMS-L1950's weight can be reduced by 565 lbs. when necessary for less demanding work.



Cat. No.	Description
A78713	Blastrac BMS-L1950 Ride-On Floor Scraper

## Blastrac BMS-T4200

The BMS-T4200 is the unit for high-productivity, low emissions, and reliability. Designed for large area surface removal, the BMS-T4200 significantly reduces the amount of time and effort required to remove a wide variety of thick coatings, floor coverings, and waterproofing membranes. Everything from carpet and the toughest ceramic tile to hardwood and VCT are no match for this versatile heavy-duty machine.



Maximum torque is produced through the 42 hp Hyundai engine giving the BMS-T4200 the power that is needed for the most grueling and time consuming floor removal jobs. Exhaust scrubbers reduce emissions to meet or exceed CARB and EPA requirements. The precision hydraulic steering gives the operator optimum control in maneuvering, and an auxiliary hydraulic system can power hydraulic attachments such as diamond grinders or rotary cutters.

Utilizing a patented "twisting" blade-bar design (edge of blade stays in contact with the floor more consistently), the BMS-T4200's rear tires can roll over debris without the blade rotating off the target working area. The blade remains flatter to the surface to continue scraping with less reverse maneuvers for "re-bites" during removal jobs.

Cat. No.	Description
A72121	Blastrac BMS-T4200 Ride-On Scraper

## Blastrac BMS-H2750 Ride-On Floor Scraper

The BMS-H2750 is one of the quick and agile high-productivity, ride-on floor scrapers designed for large area surface removal. The BMS-H2750 significantly reduces the amount of time and effort required to remove a wide variety of thick coatings, floor coverings, and waterproofing membranes. Everything from carpet and tough ceramic tile to hardwood and VCT are no match for this little brute of a machine.



Cat. No.	Description
A78712	Blastrac BMS-H2750 Ride-On Floor Scraper

## Torbo M120 Wet Abrasive Blasting Unit

The smallest machines in the Torbo product line were developed to fill the specific needs that larger, heavier equipment could not fulfill. Designed for the gentle/sensitive blasting market, these machines have no equal.

The tank capacity is 4.2 cu.ft. (120 ltrs.), which allows for maximum mobility, as needed. Whether faced with cleaning sandstone monuments, preservation or restoration work, cutting designs into glass, or removal of graffiti, these machines will do the job. Torbo's ability to use any media heavier than water, which includes all of the "natural" abrasives, eliminates the concerns about efflorescence or time-delayed chemical reactions. The infinitely variable adjustments of the systems allow for job specific risk control.



Cat. No.	Description
32101	Torbo M120 Wet Abrasive Blasting Unit
21166	Torbo Mix Installed

## Torbo XL320 Wet Abrasive Blasting Units

The Big Boy of the Product line was designed for heavy commercial and industrial work. Even though it was designed for the high production market, detailed and softer applications are intrinsic to all Torbo products.

The tank capacity is 12 cu.ft. (320 ltrs.). Larger sizes and trailer mounted units available as custom design. Whether faced with cleaning sandstone monuments, preservation or restoration work, cutting designs into glass, or removal of graffiti, these machines will do the job. Torbo's ability to use any media heavier than water, which includes all of the "natural" abrasives, eliminates the concerns about efflorescence or time-delayed chemical reactions. The infinitely variable adjustments of the systems allow for job specific risk control.



Cat. No.	Description
21810	Torbo XL320 Wet Abrasive Blasting Unit
21167	Torbo Mix Installed

## Blastrac BDC-1112 110v Compact Dust Collector

The Blastrac BDC-1112 compact dust collection system is ideal for hand tools and small grinding machines. This small light weight industrial vac is made of strong polyester making it light to carry, damage resistant, and easy to clean.

### Specifications:

- 110 volt
- 140 CFM
- 105 in H2O
- 2.25" inlet
- 20" x 19" x 26"



Cat. No.	Description
A64726	Blastrac BDC-1112 Compact Dust Collector

## Blastrac BDC-3140P Heavy-Duty Dust Collector

The BDC-3140P heavy-duty dust collection system is remarkably quiet and designed for multi-purpose use with medium to large grinding and polishing machines. The vertical profile is compact and offers great maneuverability with large wheels and two swiveling/locking castors. The ergonomic design also features easily accessible components for care and maintenance.

Constructed mainly of steel, the BDC-3140 is built tough for professional use. The motor produces a maximum air flow of 300 cfm, with a maximum static pressure of 90. The easily replaced filters are ensured long life through the fully automatic, air-pulse cleaning system. The 200 lb. capacity wheeled dust-bin easily dismounts for quick debris disposal.

The BDC-3140 is an advanced unit that helps eliminate most all of the airborne dust and particulate generated with grinding and polishing equipment. This powerful industrial vacuum is also perfect for contractors who must utilize a system that satisfies environmental concerns. The BDC-3140P offers high performance with relatively low energy consumption.



Cat. No.	Description
A78540	Blastrac BDC-3140P Heavy-Duty Dust Collector

## Blastrac BDC-1216 Dual-Motor Dust Collector

The Blastrac BDC1216 is specifically designed for the tough environment of concrete dust collection, however can be used for any dry material handling needs. The high strength plastic construction will not dent or rust and is ideal for the professional contractor. Two motors deliver superior power while the specially designed filter and manual filter shaker provide extended operation without exposure to the filtration system. A quick released dust pan can be operated by a single foot and released easily for disposal. A HEPA option is available along with a bagging system in the dust pan for volatile materials or simply a cleaner disposal. The dual motor system produces a maximum air flow of 190 CFM and a maximum static pressure of 84 Inches of H2O.



Cat. No.	Description
A35215	Blastrac BL-BDC-1216 Dual-Motor Dust Collector

## Blastrac 6-54DCG1 Dust Collector

The 6-54DCG1, a six cartridge, auto-pulse industrial vacuum, is preferred by professional contractors requiring continuous operation and high performance. It is designed to maintain productivity with a powerful motor for increased air flow, heavy-duty filters, and components that are protected from dust and debris for longer life.

An auto-pulse cleaning system helps prolong filter life, as the 6-54DCG1 delivers a maximum airflow of 900 cfm and static pressure of 21 inches. The latch-lock, high-capacity dust bin features castors and a "T" handle for ease of transport and debris disposal. An auxiliary air hose is included for operator use and an available electric outlet reduces extension cords.

The 6-54DCG1 can also be shipped or field fitted with an in-line HEPA filtration assembly for high efficiency secondary filtration. This insures commitment to new OSHA standards for HEPA filtration that will soon become mandatory on many jobsites.



Cat. No.	Description
A38290	Blastrac 6-54DCG1 Dust Collector

## Blastrac 8-54DCG1 Dust Collector

The Blastrac 8-54DCG1 is an industrial, high-grade vacuum and the preferred dust collector for the professional contractor requiring continuous operation and high performance. This eight cartridge system is set to auto-pulse the filters every 11 seconds, allowing the contractor to work with no performance loss throughout their operation. This dual-voltage unit features an available electrical outlet on the dust collector and keeps connection to on-site power through a single cord. The cam-lock, high-capacity dust bin keeps this dust collector operational for extended periods of time. The bin features castors and handles for ease of transport and debris disposal.



Cat. No.	Description
A38309	Blastrac 8-54DCG1 Dust Collector



## Aegis Hard Hats



41602

**Features**  
**4-Point**  
**Ratchet Style**  
**Suspension**



41611


Protection, comfort, and compliance at an affordable price

- Aegis hard hats are lightweight and durable
- 4-point ratchet suspension easily adjusts for a perfect fit
- Complies with ANSI Z89.1-2003 standards Type 1, Class E, and G
- Padded brow pad on suspension for added comfort
- Features front and rear height adjustments for a custom fit
- Accommodates most types of face shields

Cat. No.	Description
<b>Apex Style - Ratchet Suspension</b>	
41600	Aegis White Apex Hard Hat
41601	Aegis Yellow Apex Hard Hat
41602	Aegis Blue Apex Hard Hat
<b>Vector Style - Ratchet Suspension</b>	
41610	Aegis White Vector Hard Hat
41611	Aegis Yellow Vector Hard Hat
41612	Aegis Blue Vector Hard Hat

## IdentiGear Custom Decals

IdentiGear helps identify your crew members, and build brand recognition for your company. Clear or white, these pressure-sensitive, weatherproof decals are applied directly to the helmet, and can go on front, sides, or back. It's a fast, easy, and cost effective way to keep track of your team and your gear. **Please note that the color of the hard hat may "read through" and affect the appearance of the ink color when using clear decals.**



Contact your Aramsco sales rep to order, and you will be provided with instructions on how to supply your logo or your own custom wording.

Hard Hat Decals	25	50	75	100	250
Clear identiGear Emblem, 2" diameter	\$4.76	\$3.57	\$2.96	\$1.43	\$1.07
White identiGear Emblem, 2" diameter	\$4.76	\$3.57	\$2.96	\$1.43	\$1.07

## Aegis is300 Safety Glasses

- Wraparound design provides superior peripheral protection
- Modern, lightweight design
- Polycarbonate lens provides impact resistance and UV protection
- Complies with ANSI standards



Cat. No.	Description
41462	Aegis is300 Clear Lens with Clear Frame
41484	Aegis is300 Gray Lens with Black Frame
41485	Aegis is300 Mirror Lens with Black Frame
41486	Aegis is300 Amber Lens with Amber Frame

## Aegis is200 Safety Glasses

- Economical and comfortable protection
- Adjustable temples for a perfect fit
- Polycarbonate lens provides impact resistance and UV protection
- Complies with ANSI standards



Cat. No.	Description
40142	Aegis is200 Clear Lens with Red/White/Blue Frame
40135	Aegis is200 Clear Lens with Blue Frame
40136	Aegis is200 Gray Lens with Black Frame
40133	Aegis is200 Clear Lens with Black Frame
40143	Aegis is200 Gray Lens with Red/White/Blue Frame

## Aegis GS Goggle

- Indirect-vented, splash protection
- Fits over most prescription lenses
- Elastic band for a secure and comfortable fit
- Anti-fog coating
- Complies with ANSI standards



Cat. No.	Description
40035	Large Clear Lens with Clear Frame and Elastic Band

## Aegis GSX Goggle

- Anti-fog polycarbonate lens
- Soft foam lining provides all day comfort
- Indirect-vented, splash protection
- Fits over most prescription lenses
- Extra wide elastic band ensures a comfortable fit
- Complies with ANSI standards



Cat. No.	Description
40535	Large Clear Lens with Clear Frame and Elastic Band

## Shieldtech<sup>25</sup> Tri-Tuff Multi-Layer

### Tri-Tuff®



Shieldtech® 25 Tri-Tuff® Multi-layer coveralls.

- Tri-layer material for light splash protection
  - Durable and strong to prevent tear outs
  - Full cut pattern for comfortable fit
- Rugged, heavyweight, 3-layer construction provides excellent strength and durability.

Unique design provides protection from particulate and light splash. Breathable for all day comfort. Generous pattern design meets

ANSI sizing specifications. Manufactured in an ISO 9002 registered facility. (25/cs)

Cat. No.	Description
50803	XL Coverall with Hood
50804	2X Coverall with Hood
50805	3X Coverall with Hood
50806	4X Coverall with Hood
50809	XL Coverall with Hood and Boots
50810	2X Coverall with Hood and Boots
50811	3X Coverall with Hood and Boots
50812	4X Coverall with Hood and Boots

## Shieldtech<sup>35</sup> Liquid and Particulate Protection



Shieldtech® 35 Liquid and Particulate Protection coveralls.

- Three barrier-layers provide excellent protection
- Unique pattern allows for unparalleled freedom of movement
- Features blood borne pathogen protection

- Ideal alternative to Tyvek

Cat. No.	Description
53061	XL Coverall with Hood
53062	2X Coverall with Hood
53063	3X Coverall with Hood
53064	4X Coverall with Hood
53053	XL Coverall with Hood and Boots
53054	2X Coverall with Hood and Boots
53055	3X Coverall with Hood and Boots
53056	4X Coverall with Hood and Boots

## Howard Leight™ Max-1® and Max-30® Earplugs

Pre-shaped foam earplugs feature a smooth outer skin for maximum user comfort. Soil-resistant skin helps prevent foreign material from penetrating the surface while being rolled. The NRR 33 rating makes Max® the highest rated earplug in the United States. Attenuation tested in accordance with ANSI S3.19-1974. NRR 33dB rating.



40650



40651

Cat. No.	Description
40650	Max-1 Uncorded Earplugs (200 pr/bx)
40651	Max-30 Corded Earplugs (100/bx)

## 8 oz. Cotton Canvas Gloves



Cat. No.	Description
30000	8 oz. Cotton/Canvas Gloves (dz)

## String Knit, Latex Dipped Gloves



Cat. No.	Description
30023	Double Dipped (dz)
A39229	Single Dipped (dz)

## Kevlar® Gloves with PVC Dots



Cat. No.	Description
22608	Kevlar Gloves w/ 1-sided PVC Dots (dz)
30318	Kevlar Gloves w/ 2-sided PVC Dots (dz)

## Leather Palm Glove with Safety Cuff, Gunn Pattern



Cat. No.	Description
30355	Leather Palm Gloves w/Safety Cuff (dz)

## MOLDEX N95 Respirator



The Moldex exclusive Dura-Mesh® shell resists collapsing, even in heat and humidity. Ideal for metal working, grinding, sanding, stone quarrying, metal machining, cement operations, underground mining, sweeping, bagging, polishing, buffing, lime, poultry operations, textile industry and furniture manufacturing.

Cat. No.	Description
52651	Moldex 2200 N95 Respirator (20/bx)

## 3M Model 8210 N95 Respirator

3M respirator, economically designed for grinding, sanding, sweeping, bagging, other dust producing operations. Adjustable nose clip helps provide custom fit and secure seal.



Cat. No.	Description
52200	Model 8210 N95 Respirator

## Model 8233 N100 Respirator

Respirator with NIOSH highest-rated filtration efficiency against non-oil-based particles features Cool Flow™ exhalation valve.



Cat. No.	Description
52298	Model 8233 N100 Respirator

## NORTH® Safety Products

### Full-Face and Half-Face Respirators and Filters



Soft, lightweight dual cartridge elastomeric facepiece; full-face model equipped with oral/nasal cup to reduce fogging. Compatible with all North cartridges and filters.

Cat. No.	Description
52550	North 54001-MD DC Respirator
52484	North 55003-MD DC Respirator
52473	North 7580 P100 Particulate Filter (2pk)
52573	North 75FF P100 Pancake Filter (2pk)
52491	North Organic Vapor Cartridge (2pk)



**A**ramSCO is a specialized industrial distribution company serving the Environmental Safety, Emergency Preparedness, and Surface Preparation markets. We bring our customers the advantage of working with a national company on a local level. Aramsco provides valuable expertise

and quality products at competitive prices, and we take pride in offering the latest technology and innovations. The Aramsco team is committed to providing exceptional customer service and we leverage our supply chain and multi-channel distribution capabilities to provide unparalleled value.

## Product Knowledge

Most distributors talk about product expertise; few truly deliver. At Aramsco, product expertise allows us to help our customers in the following ways:

- *Unique products that save time and increase efficiency*
- *Consolidated buying that improves your purchasing power*
- *Facilitated vendor training*

Our customers interact with Aramsco sales people, customer service representatives, and drivers — and there are dozens of distribution professionals behind the scenes. These



## Delivery and Fulfilment

- *18 distribution centers and fleet delivery*
- *Wide product offering from stock, and special orders when needed*
- *Fast, friendly, on-time delivery*



Pictures and drawings in this catalog are intended for a general description only; unless specified, they do not represent any specific brand. Original manufacturers' names or stock numbers which may appear in the Aramsco catalog, brochures, or correspondence are there for the purpose of identification only and are not a representation, either expressed or implied, that items offered or sold are genuine products of such manufacturers. Every effort will be made to ship the brand identified. However, Aramsco reserves the right to ship equivalent or superior product in the event the brand is not available. Possession of this catalog does not obligate Aramsco to sell.

Arecibo | Baltimore | Boston | Chicago | Dallas | Hartford | Houston | Los Angeles | Minneapolis | Nashville  
New Orleans | New York City | Philadelphia | Phoenix | Raleigh-Durham | Rochester | San Juan | Tampa

**800.767.2616 | [www.aramsco.com](http://www.aramsco.com)**