



# INNOVATECH Built On Customer Service















"In 1993 we bought the very first production Terminator made by Innovatech. We still use it almost everyday." Dennis Perez, NorCal Industrial Floors















P2400 Predator P850





"We own multiple units of other manufacture's comparable machines, yet our crews continually prefer the Predator." Kurt Gottinger - Surf Prep, Inc.





# **Meet Our Distributors**

Australia
Austria
Belgium
China
Czech Republic
Denmark

France Germany Holland Ireland Japan Latvia

Lithuania Mexico Norway Poland Russia Spain

Sweden
Switzerland
United Arab Emirates
United Kingdom
United States
Yugoslavia



Wherever you are in the world, Innovatech is there.



# NEW Competitive Leasing Programs

As low as so down to start

Payments For 90

- No Prepayment penalty
- Flexibility:
   Programs built to meet your needs
- \$1 Buy Out
- Same day credit approval\*
- LOW Monthly Payments
- Low monthly payments
- Deferred payment plans

\*Average response time 1-4 hours Programs based on credit approval

Contact Mary Stoural - Leasing Coordinator 800.267.6682 xt. 238 MaryS@InnovatechProducts.com



# Terminator 2000ei



- · Extremely high removal rates\*
- · 80-90% of the majority of coverings removed on the first pass\*
- Fits through any standard doorway or elevators
- · No cumbersome cord attachment
- Zero emissions
- · Runs cooler and quieter
- · Limited maintenance
- · Zero memory batteries
- · Batteries only draw power when machine is moving
- Fork lift channels for quick and easy change out in continuous run time situations
   \*increased efficiency depends on individual job conditions



Working Width - 26 inches (660 mm)

Battery - 5,000 watt

Dimensions L x W x H - 65 x 26 x 47 inches (165 x 66 x 119 cm)

Weight - 2,735 lbs. (1,240 kg)

Weight with Extra Weight Package - 3,400 lbs (1,542 kg)

Minimum Usable Weight - 2,347 lbs. (1,065 kg)

#### REMOVAL RATES

Average production Rates Per Hour\*

Carpet - 900 - 1800 sq ft (84 - 167 sq m2)

VCT/VAT - 1000 - 2500 sq ft (93 - 232 sq m2)

Sheet Vinyl - 600 - 800 sq ft (56 - 74 m2)

Glue Down Hardwood - 300 - 1000 sq ft (28 - 93 m2)

Elastomeric Coatings - 400 - 800 sq ft (37 - 74 m2)

Ceramic Tile - 25 - 500 sq ft (2 - 46 m2)

\*Production rates may vary due to job conditions.

Included equipment: Operator's Manual, Mini Weight Package (3 Front Weights), 1 Rear Weight, Wheel Weights, 220 Volt 50 Amp Charger, Battery Maintenance and Fill Kit, Standard 10 Blade Package.





### **AVAILABLE ACCESSORIES**



Ceramic Tile Tooth Holder



110 Volt Battery Charger



**Travel Dolly** 



Swivel Head Attachment





- · Extremely high removal rates
- 60 HP GM Motor
- · Easily fits through any standard doorway or elevators
- Built in quick change swivel head design
- · Ergonomic friendly controls
- Integrated forklift and lifting points
- "Cool-Flow" hydraulics for consistent all day performance
- Meets Tier 2 CA and Euro emissions standards
- Speed through your toughest projects with up to 1,745 ft.lbs. (2,366 nm) of wheel torque
- · Compatible with all Innovatech blades



Working Width - 26 inches (660.4 mm)

Dimensions L x W x H - 54.5 x 27.5 x 62 inches (138 x 70 x 158 cm)

Weight - 2780 lbs. (1261 kg)\*

#### REMOVAL RATES

Average production Rates Per Hour\*\*

Carpet - 900 - 1800 sq ft (84 - 167 sq m2)

VCT/VAT - 1000 - 2500 sq ft (93 - 232 sq m2)

Sheet Vinyl - 600 - 800 sq ft (56 - 74 m2)

Glue Down Hardwood - 300 - 1000 sq ft (28 - 93 m2)

Elastomeric Coatings - 400 - 800 sq ft (37 - 74 m2)

Ceramic Tile - 25 - 500 sq ft (2 - 46 m2)

\*\*Production rates may vary due to job conditions.



Operator's Manual, Mini Weight Package (3 Front Weights), 3 Rear Weights, Wheel Weights, Standard 10 Blade Package. Propane Tank and 26in. Swivel Head Jaw.

"Weight varies by configuration







# **AVAILABLE ACCESSORIES**



Ceramic Tile Tooth Holder



Channel Weights



**Travel Dolly** 



Metal Floor Scraper Carpet Dicer





- · Extremely high removal rates\*
- · Honda 20 Hp, electric start
- Built in quick change swivel head design
- · Easily fits through any standard doorway or elevators
- . "Cool-Flow" hydraulics for consistent all day performance
- Meets Tier 2 CA and Euro emissions standards
- Ergonomic friendly controls
- Speed through your toughest projects with 1475 ft.lbs. (1999.8 nm) increased wheel torque
- · Compatible with all Innovatech blades
- · Integrated forklift and lifting points
  - \* Increased efficiency depends on individual job conditions



Working Width - 26 inches (661 mm)

Dimensions L x W x H - 52 x 26 x 45 inches (132 x 66 x 114 cm)

Weight - 995 - 1,600 lbs. (408 - 725 kg)

### REMOVAL RATES

Average production Rates Per Hour\*

Carpet - 550 - 1200 sq ft (51 - 111 sq m2)

VCT/VAT - 800 - 1500 sq ft (74 - 139 sq m2)

Sheet Vinyl - 400 - 500 sq ft (37 - 46 m2)

Glue Down Hardwood - 100 - 300 sq ft (9 - 28 m2)

Elastomeric Coatings - 100 - 300 sq ft (9 - 28 m2)

Ceramic Tile - 25 - 500 sq ft (2 - 46 m2)

\*Rates may vary due to job conditions.



#### INCLUDED EQUIPMENT

Operator's Manual, Mini Weight Package (3 Front Weights), 2 Rear Weights, Wheel Weights, Standard 5 Blade Package, 13" Swivel Head Attachment, Propane Tank.

# **AVAILABLE ACCESSORIES**





# 32" Predator Packages



- · Flexible or rigid cutting heads
- Perfect Balance
- · Ease of operation
- · Reliability
- · Easy height adjustment
- · Full assortment of tooling
- · Easy on-site mantenance with standard tools
- Variable speed control



# **PACKAGES**

Coatings Removal Package \$36,500

Item #	Item # Description	
99-0200	32" Predator Grinder 3 x 460V, Variable Speed 15 HP (11kW) w/ 50' Power Cord	1
99-0055	DS2720 Dust Extractor, 460V* with built in distribution box, 50' Power Cord and all hoses	1
99-0054	Cyclone 30 Pre-seperator	1
820-0047	10' 460V 3-Phase 6/4 Extension Cord	1
820-0044	100' 460V 3-Phase 6/4 Extension Cord	1
900-0100	Metal Bond Diamond Carrier Plate	16
801-3900	Raptor Tool	12
827-1079	6 Grit Brown Double Square Concrete Segments for Medium Concrete	12
827-1080	16/18 Grit Silver Double Square Concrete Segment for Medium Concrete	12
827-1081	40 Grit Black Double Square Concrete Segment for Medium Concrete	12

Concrete Polishing Package \$36,500

Item #	# Description			
99-0200	32" Predator Grinder 3 x 460V, Variable Speed 15 HP (11kW) w/ 50' Power Cord	1		
99-0055	DS2720 Dust Extractor, 460V* with built in distribution box, 50' Power Cord and all hoses	1		
99-0054	Cyclone 30 Pre-seperator	1		
820-0047	10' 460V 3-Phase 6/4 Extension Cord	1		
820-0044	100' 460V 3-Phase 6/4 Extension Cord	1		
900-0100	Metal Bond Diamond Carrier Plate	4		
900-0101	Resin Bond Plastic Carrier Plate	8		
827-1075	40 Grit Black Double Round Concrete Segment for Medium Concrete	12		
840-0001	I-Shine Pad System 10.5" - 30 Grit Orange	8		
840-0002	I-Shine Pad System 10.5" - 50 Grit Gray	8		
840-0003	I-Shine Pad System 10.5" - 100 Grit Black	8		
840-0004	I-Shine Pad System 10.5" - 200 Grit Blue	8		
840-0005	I-Shine Pad System 10.5" - 400 Grit Red	4		
840-0006	I-Shine Pad System 10.5" - 800 Grit White	4		
840-0007	I-Shine Pad System 10.5" - 1500 Grit Yellow	4		

# RELATED PRODUCTS









I-Shine Pad System

Predator 850 Easy Edge **Metal Bonds** 

**Phenolics** 



# 24" Predator 3-Phase Package







# **FEATURES**

- · 4-Head planetary design
- · Flexible or rigid cutting heads
- Perfect balance
- Compact design
- · Reliability
- · Easy height adjustment
- · Full assortment of tooling
- · Easy on-site maintenance with standard tools
- Variable speed control



### **PACKAGES**

Coatings Removal Package \$26,500

Item #	Description	Quantity	
99-0103	24" Predator Grinder 3-Phase 208V, Variable Speed 10 HP (7.5 kW) w/ 50' Power Cord	1	
832-0053	Red Raider Vacuum Package 208V, 320 CFM, w/ silencer, hoses and built-in distribution box	1	
99-0054	Cyclone 30 Pre-seperator	1	
820-0045	10' 208V 3-Phase 6/4 Extension Cord	1	
820-0043	100' 208V 3-Phase 6/4 Extension Cord	1	
900-0104	Metal Bond Diamond Carrier Plate	16	
801-3900	Raptor Tool	12	
827-1079	6 Grit Brown Double Square Concrete Segments for Medium Concrete	12	
827-1080	16/18 Grit Silver Double Square Concrete Segment for Medium Concrete	12	
827-1081	40 Grit Black Double Square Concrete Segment for Medium Concrete	12	

Concrete Polishing Package \$26,500

Item #	tem # Description			
99-0103	24" Predator Grinder 3-Phase 208V, Variable Speed 10 HP (7.5 kW) w/ 50' Power Cord	1		
832-0053	Red Raider Vacuum Package 208V, 320 CFM, w/ silencer, hoses and built-in distribution box	1		
99-0054	Cyclone 30 Pre-seperator	1		
820-0045	10' 208V 3-Phase 6/4 Extension Cord	1		
820-0043	100' 208V 3-Phase 6/4 Extension Cord	1		
900-0104	Metal Bond Diamond Carrier Plate	4		
900-0105	Resin Bond Plastic Carrier Plate	8		
827-1075	40 Grit Black Double Round Concrete Segment for Medium Concrete	12		
840-0009	I-Shine Pad System 8.5" - 30 Grit Orange	8		
840-0010	I-Shine Pad System 8.5" - 50 Grit Gray	8		
840-0011	I-Shine Pad System 8.5" - 100 Grit Black	8		
840-0012	I-Shine Pad System 8.5" - 200 Grit Blue	8		
840-0013	I-Shine Pad System 8.5" - 400 Grit Red	4		
840-0014	I-Shine Pad System 8.5" - 800 Grit White	4		
840-0015	I-Shine Pad System 8.5" - 1500 Grit Yellow	4		

### RELATED PRODUCTS



I-Shine Pad System Predator 850 Easy Edge **Metal Bonds** 

**Phenolics** 



# 24" Predator Single Phase Package







# **FEATURES**

- · 4-Head planetary design
- · Flexible or rigid cutting heads
- Perfect balance
- Compact design
- · Reliability
- · Easy height adjustment
- · Full assortment of tooling
- · Easy on-site maintenance with standard tools
- Variable speed control



### **PACKAGES**

Coatings Removal Package \$25,500

Item #	Description		
99-0101	24" Predator Grinder Single Phase 208V, Variable Speed 7.5 HP (5.5 kW) w/ 50' Power Cord	1	
832-0052	Red Raider Vacuum Package 110V, 280 CFM, w/ silencer, hoses and built-in distribution box	1	
99-0054	Cyclone 30 Pre-seperator	1	
820-0106	10' 208V Single Phase 6/3 Extension Cord	1	
820-0104	100' 208V Single Phase 6/3 Extension Cord	1	
900-0104	Metal Bond Diamond Carrier Plate	16	
801-3900	Raptor Tool	12	
827-1079	6 Grit Brown Double Square Concrete Segments for Medium Concrete	12	
827-1080	16/18 Grit Silver Double Square Concrete Segment for Medium Concrete	12	
827-1081	40 Grit Black Double Square Concrete Segment for Medium Concrete	12	

Concrete Polishing Package \$25,500

Item #	Item # Description			
99-0101	24" Predator Grinder Single Phase 208V, Variable Speed 7.5 HP (5.5 kW) w/ 50' Power Cord	Quantity 1		
832-0052	Red Raider Vacuum Package 110V, 280 CFM, w/ silencer, hoses and built-in distribution box	1		
99-0054	Cyclone 30 Pre-seperator	1		
820-0106	10' 208V Single Phase 6/3 Extension Cord	1		
820-0104	100' 208V Single Phase 6/3 Extension Cord	1		
900-0104	Metal Bond Diamond Carrier Plate	4		
900-0105	Resin Bond Plastic Carrier Plate	8		
827-1075	40 Grit Black Double Round Concrete Segment for Medium Concrete	12		
840-0009	I-Shine Pad System 8.5" - 30 Grit Orange	8		
840-0010	I-Shine Pad System 8.5" - 50 Grit Gray	8		
840-0011	I-Shine Pad System 8.5" - 100 Grit Black	8		
840-0012	I-Shine Pad System 8.5" - 200 Grit Blue	8		
840-0013	I-Shine Pad System 8.5" - 400 Grit Red	4		
840-0014	I-Shine Pad System 8.5" - 800 Grit White	4		
840-0015	I-Shine Pad System 8.5" - 1500 Grit Yellow	4		

### RELATED PRODUCTS



Predator 850 I-Shine Pad System Easy Edge

**Metal Bonds** 




**Phenolics** 





18" 3-Head Planetary Grinder



- · Easy maneuverability
- · Flexible cutter heads
- · Perfect for residential applications
- · Compact design
- · Reliability
- · Simple operation
- · Full assortment of tooling
- · Easy on-site maintenance with standard tools

AVONN

Variable speed control



Motor: 3 Hp (2.24 kW) Motor RPM: 0 - 1750 Power: 1 phase 220 V

Dimensions: 52.5 x 19.5 x 44.5 inches

(133.4 x 49.5 x 113 cm)

Weight 3 Hp: TBD lbs. (TBD kg)

Grinding Width: 18 inches (457.2mm)

Number of Grinding Heads: 3 Grinding Head RPM: 0 - 735

Grinding Head Diameter: 7 inches (177.8 mm)

Planetary Grinding Plate RPM: 95



Average Production Rates Will Vary Per Day and Due To Job Conditions



# RELATED PRODUCTS







"Edge grinding has never been so easy."

# **FEATURES**

- 110 Volt Power
- · Variable speed for grinding and polishing
- 1.5 Hp motor
- · Five point pivot head for ease of use
- 55 lbs. of down pressure
- Compact design
- · Total tooling flexibility to fit I-Shine system pads, metal bonds and phenolics
- · Head diameter 8.5"
- · Same tooling as our Predator 2400



Dimensions -18" Wide Head at 0 degrees

19" Wide Head at 45 degrees Head at 90 degrees 22" Wide

43" Tall Height -

Disc Diameter - 8.5"

Weight -136 lbs.

Down Pressure - 55 lbs.

In-Put Power - 110 Volt - 15 Amp

Motor Power - 1.5 Hp

Max RPM -1350 RPM

Hose Diameter - 1.5"





# RELATED PRODUCTS



I-Shine Pad System Dust Collection

Metal Bonds

**Phenolics** 



# I-Shine Polishing System



# **FEATURES**

- Easy to use
- · No diamond glazing
- · Polishes uneven floors with ease
- · No phenolic burn marks
- · Quick diamond change out
- Economical
- · Excellent scratch pattern
- Fantastic shine
- · Compatible with Innovatech's full line of Predator floor grinders



# **SPECIFICATIONS**

Grit	8.5" Dry	9" Dry	10.5" Dry
15 - Mint Green	840-0158	N/A	840-0155
30 - Orange	840-0009	840-0041	840-0001
50 - Gray	840-0010	840-0042	840-0002
100 - Black	840-0011	840-0043	840-0003
200 - Blue	840-0012	840-0044	840-0004
400 - Red	840-0013	840-0045	840-0005
800 - White	840-0014	840-0046	840-0006
1500 - Yellow	840-0015	840-0047	840-0007
3000 - Green	840-0016	840-0048	840-0008



Easy To Remove



# RELATED PRODUCTS



Predator 3200



Predator 2400



Predator 850



# **Premium Diamond Tools**







"I am very impressed with these new metals. They work on any concrete soft or hard and they cut immediately. NO glazing, period! The initial steps get done NOW! These are the best we've used."

# **FEATURES**

- Very consistent
- · Excellent scratch pattern run mostly dry
- Great for removing carpet glue
- Strong industrial magnets make changing diamonds quick and simple
- Excellent life: 40, 80 and 150 grit each capable of 20,000+ square feet
- Tested as 2-4 times faster than anything comparable
- Cuts through anything with ease
- · Compatible with the entire Innovatech line of Predators

Increased may lency depends on any vidual job condition



# InnovaPro Professional Diamond Tools



### **Phenolic Diamond Tooling**

\$9.50 Per Segment Available Grits: 100, 200, 400, 800, 1500, 3000



#### Barracuda Diamond Tooling \$125.00 Each



#### Raptor Diamond Tooling \$280.00 Per Segment



#### **Double-Round Diamond Tooling**

\$45.00 Per Segment Available Grits: 6, 16/18, 40, 60/80, 150, 300



#### **Double-Square Diamond Tooling**

\$53.00 Per Segment Available Grits: 6, 16/18, 40, 60/80



# **Concrete Chemicals**



#### INNOVASTONE:

A chemical hardening solution used to strengthen the integrity of concrete floors. This sealer is water based, VOC compliant and environmentally safe. InnovaStone will harden, densify and create a water repellant concrete floor which is why it is often used in the concrete polishing process. Using InnovaStone on your concrete floors, will add many extra years of life, hold a shine longer, prevent dusting and save money on maintenance.

-Hardener/Densifier Available in 1 Gallon, 5 Gallon and 55 Gallon Drum



#### INNOVASEAL:

An advanced sealer that gives added protection for concrete floors to protect against oil and water based stains. InnovaSeal has extremely high coverage rates when applied after InnovaStone because of its minute molecular structure, allowing it to penetrate into the pores of the sealer.

-Advanced Protective Sealer Available in 1 Gallon, 5 Gallon and 55 Gallon
 Drum



#### INNOVACLEAN:

Designed for on-going maintenance of hardened polished concrete surfaces. This product is highly concentrated and contains state of the art wetting and emulsifying agents. InnovaClean, used regularly to clean polished floors, will add longer life, luster and shine of the floor. -Cleaner/Conditioner Available in 1 Gallon, 5 Gallon and 55 Gallon Drum



# InnovaColor Dye Samples







# **FEATURES**

- CO2 Driven Pumps
- · Full line of conical spray tips with ceramic inserts
- · Works with dyes, densifiers and sealers
- · Safe and easy to use
- · Provides consistency



# Ruwac Dust Collection



# **FEATURES**

- High power CFM & H2O
- Filter life 3 to 5 years
- Compression cast composite housing
- Easy to transport
- · Foot lever actuated dust pan
- Large filter area
- · HEPA filtration option
- · Large locking wheels
- · Compatible with Innovatech's full line of Predator floor grinders



# **SPECIFICATIONS**

#### **INNOVATECH Little Blue Vacuum**

Motor	110 Volt (220 Volt available)
Dimensions	32 x 20 x 35 inches
Weight	90 lbs.
CFM	200
H20	98
Inlet	2 inches
Filter	13 square foot MicroClean
Dust Pan	9 Gallon

### Available Accessories



#### INNOVATECH Blue Raider Vacuum

Motor	110 Volt (220 Volt available)	
Dimensions	32 x 20 x 51 inches	
Weight	140 lbs.	:
CFM	280 - 340	
H20	75 - 95	
Inlet	3 inches	
Filter	28 square foot MicroClean	
Dust Pan	9 Gallon	

INNOVATECH DS2720 Vacuum

Motor	10 Hp.	
Dimensions	35 x 29 x 67	
Weight	300 lbs.	
CFM	206	
H20	94	
Inlet	4 inches	
Filter	48 square foot MicroClean	
Dust Pan	24 Gallon	

# RELATED PRODUCTS



Predator 3200



Predator 2400



Predator 850



Cyclone 30



# Module 200 Package



# **FEATURES**

- 10 Hp (7.6 kW)
- · 8 inch (200 mm) blast width
- · Five fin blast wheel for longer life
- · Exclusive 'Travel Mode' to help prevent damage during transport
- Long service life on wear parts
- Maneuverable, compact design
- 928 CFM
- · Easy, two bolt blast pattern adjustment
- Simple debris removal



# Shotblaster Packages

# Elephant Package





### 8" Elephant Blaster Package with Little Blue Vacuum System only \$9795

Our 8" push or pull (200 mm) Shot Blaster is lightweight, has a compact design and convienent electrical requirements (Single Phase 230 Volt) making it ideal for smaller jobs, tight areas and detail work. This unit excels where larger shotblasters formerly were non-accessible. It is safe, simple and economical to operate.

# Module 200 Package






#### Module 200 - 8" Self Propelled Blaster with Tornado Vacuum System only \$25,975

The Module 200 Shot Blaster is ideal for all surface preparation jobs. It offers high productivity with a self-propelled, compact and maneuverable 8" (200 mm) blast width. Excellent for concrete, coatings, steel decks, tanks, etc. Unique in that our Module 200/2 Kit is optional for a total of 16" blasting width to increase productivity while maintaining the versatility of two seperate machines.

# Module 350 Package





# Module 350 - 14" Self Propelled Blaster with R2D2 Vacuum System only \$41,500

The Module 350 is the ultimate in high production mobile dust free shotblasting. This self propelled unit delivers versatile and effective surface preparation. The 14" (350 mm) blasting width brings you the productivity needed for those large jobs. Suited for hard concrete, coatings, steel decks, bridges and tanks.



# **Omega**



# **FEATURES**

- · Easy to manuever
- · Adjustable angle
- Integrated flexible head
- High power
- Compact design
- · Compatible with a full line of diamond tooling
- · Great with Innovatech's Little Blue dust collector



Working Width: 11.5 inches (290 mm)

Dimensions L x W x H: 30 x 13 x 37 inches

(75 x 33 x 95 cm)

Weight: 143 lbs (65 kg)

OMEGA 230 Volt 1 Phase

Motor: 5 Hp (3.7 kW)

Amp: 15 RPM: 1500



### ADDITIONAL INFORMATION

The Omega is one of Innovatech's most versatile machines. Multiple diamond segments are available for grinding and polishing concrete and Terrazzo floors. Predator or Raptor tooling can be used for removal of coatings and adhesive material. Pairing the Omega with the portable and compact Little Blue dust collector can minimize dust for a cleaner work environment.



# RELATED PRODUCTS



Little Blue Dust Collector



Predator 850



Predator 2400



Accessories



# CT 200 - 8" Scarifier



# **FEATURES**

- · Variable depth control
- Vacuum Port
- · Large running wheels
- Motor overload protection switch
- · Lifting handle
- Cutters and drums can be quickly changed
- Edge attachment available
- Long life on cutters and drums
- · Dust free operation



# CT 250 - 10" Scarifier



- · Long life on cutters and drums
- · Adjustable depth

· Dust free operation

- · Extensive range of cutters available
- · Lifting handle
- · Electric switch with overload protection
- · Integrated drive unit
- · Ergonmic handles
- Vacuum port





#### Terms of Sale

All sales are final upon receipt of order. Payment is required prior to shipment unless credit terms have been arranged in advance. Equipment financing is available to qualified customers. Call for available financing terms and rates.

#### Warranties

Warranties on the equipment we sell may vary depending on the manufacturer of the equipment. Warranties are set out in the owner's manual or in the documentation that comes with the equipment. Please check the specific equipment for warranty details.

#### Shipping Charges

All prices quoted are FOB Innovatech, Everett, Washington, USA. Your sales representative will be happy to provide a quote including the shipping charges.



#### Returns

If you have an item to return for warranty repair or for service, please contact Innovatech's Service Department at 1 (800) 267 6682 to receive a Return Authorization Number. All sales are final and used equipment is not accepted for return credit. If a new, unused item is accepted for return, a restocking fee will normally apply.



# INNOVATECH Built On Customer Service

832 80th St. SW Everett, WA. 98203 1.800.267.6682 - Toll Free 1.425.402.8547 - Fax

www.InnovatechProducts.com